

Revision Date: 03/27/2023

RTV11

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: RTV11

Other means of identification

Synonyms: SILICONE RUBBER COMPOUND

Recommended use and restriction on use

Recommended use: Silicone Elastomer Restrictions on use: For industrial use only.

Manufacturer/Importer/Distr :

: Momentive Performance Materials USA LLC

ibutor Information

2750 Balltown Road, Niskayuna, NY 12309

Contact person : commercial.services@momentive.com

Telephone : General information

+1-800-295-2392

Emergency telephone

number

Supplier : CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Toxic to reproduction Category 2

Label Elements

Hazard Symbol:



Signal Word: Warning

SDS_US 1/14



Revision Date: 03/27/2023

RTV11

Hazard Statement: H361f; Suspected of damaging fertility.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Use personal protective

equipment as required.

Response: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) Calcium Carbonate	471-34-1	20 - <50%	# This substance has workplace exposure limit(s).
Silicic acid, ethyl ester	11099-06-2	1 - <5%	No data available.
Octamethylcyclotetrasiloxane	556-67-2	0.1 - <1%	No data available.

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable

training.

Ingestion: If swallowed, rinse mouth with water (only if the person is conscious). Do

NOT induce vomiting. Consult a physician for specific advice.

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms

occur.

Skin Contact: Wash the skin immediately with soap and water. Get medical attention

promptly if symptoms occur after washing.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

SDS_US 2/14



Revision Date: 03/27/2023

RTV11

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other

involved materials.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Exposure to fire can generate toxic fumes. Acute overexposure to the products of combustion may result in irritation of the respiratory tract.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

To prevent and minimize fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system. Cool fire-endangered containers with water.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep container closed. Avoid inhalation of vapors and spray mists. Avoid contact with skin and eyes. Use only in well-ventilated areas. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

SDS_US 3/14



Revision Date: 03/27/2023

RTV11

Notification Procedures: In case of spills, beware of slippery floors and surfaces. See Section 8 of

the SDS for Personal Protective Equipment.

Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Do not get in eyes, on skin,

on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal Protective Equipment. Use only in well-ventilated areas. Wash hands after

handling.

Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place. Use original

container or packaging of similar material of construction

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
(1) Calcium Carbonate - Inhalable particles.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
(1) Calcium Carbonate - Respirable particles.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
(1) Calcium Carbonate - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
(1) Calcium Carbonate - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
(1) Calcium Carbonate - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
(1) Calcium Carbonate - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
(1) Calcium Carbonate - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
(1) Calcium Carbonate - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)

SDS_US 4/14



Revision Date: 03/27/2023

RTV11

	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
(1) Calcium Carbonate - Total dust.	TWA PEL	10 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)

Appropriate Engineering

Controls

Eye wash facilities and emergency shower must be available when

handling this product. Use only in well-ventilated areas.

Individual protection measures, such as personal protective equipment

General information: Do not eat, drink or smoke when using the product.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Rubber gloves are recommended.

Other: Wear suitable protective clothing.

Respiratory Protection: If inhalation exposure is expected, NIOSH/MSHA approved respiratory

protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Observe good industrial hygiene practices. Good personal hygiene is

necessary. Wash hands and contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: White
Odor: Faint

Odor threshold:

pH:

Not applicable

Not applicable

No data available.

Ca. 298 °C (Open Cup)

SDS_US 5/14



Revision Date: 03/27/2023

RTV11

Evaporation rate: > 1

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor pressure: No data available.

Vapor density:No data available.Density:1.18 g/cm3 (23 °C)

Relative density: ca. 1.2

Solubility(ies)

Solubility in water: Insoluble

Solubility (other): Soluble in toluene xylene

Partition coefficient (n-octanol/water) Log

Pow:

Auto-ignition temperature: 450 °C

Decomposition temperature:No data available.SADT:No data available.Viscosity, dynamic:11,000 mPa·s (23 °C)Viscosity, kinematic:No data available.

Other information

Minimum ignition temperature: 450 °C Not applicable

VOC: 6 g/l ;

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

No data available.

Conditions to avoid: Keep away from moisture.

Incompatible Materials: Reacts with water liberating small amounts of methanol. Avoid contact with

acids and oxidizing substances.

Hazardous Decomposition

Products:

Carbon dioxide Silicon dioxide. Tin fumes. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of

formaldehyde are formed due to oxidative degradation.

SDS_US 6/14



Revision Date: 03/27/2023

RTV11

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eve contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

ATEmix: 21,777 mg/kg

Specified substance(s):

Octamethylcyclotetrasilox

LD 50 (Rat): > 4,800 mg/kg

ane

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 2,375 mg/kg

ane

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LC50 (Rat): 36 mg/l

ane

Repeated dose toxicity

Product: NOAEL (Rat(male and female), Inhalation(vapour)): 150 mg/kg

NOAEL (Rabbit(male and female), Dermal): > 1 mg/kg

SDS_US 7/14



Revision Date: 03/27/2023

RTV11

Skin Corrosion/Irritation

Product: (Rabbit, 72 h): No skin irritation

Serious Eye Damage/Eye Irritation

Product: (Rabbit, 72 h): Non irritating

Respiratory or Skin Sensitization

Product: No data available.

, OECD-Guideline 406 (Skin Sensitisation)negative

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella

typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

Product: Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology:

Micronucleus Test)): negative

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

Specified substance(s):

SDS_US 8/14



Revision Date: 03/27/2023

RTV11

Octamethylcyclotetrasil oxane

Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is welldocumented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; LC50 (Oncorhynchus mykiss, 96 h): >

ne 0.022 mg/l

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 48 h): > 0.015 mg/l

SDS_US 9/14



Revision Date: 03/27/2023

RTV11

Chronic hazards to the aquatic environment:

Fish

Product: LC50 (Oncorhynchus mykiss, 14 d): 0.01 mg/l

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 21 d): > 0.015 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; ErC50 (Selenastrum capricornutum, 96

ane h): > 0.022 mg/l

Persistence and Degradability

Biodegradation

Product: 3.7 % (29 d, OECD Test Guideline 310)

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: Pimephales promelas, Bioconcentration Factor (BCF): 12.40 May

accumulate in soil and water systems.

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

(1) Calcium Carbonate
Silicic acid, ethyl ester
Octamethylcyclotetrasiloxa
No data available.
No data available.

ne

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

SDS_US 10/14



Revision Date: 03/27/2023

RTV11

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

<u>Chemical Identity</u>
Siloxanes and Silicones,

OSHA hazard(s)
No OSHA Hazards

di-Me hydroxy terminated

(1) Calcium Carbonate Causes mild skin irritation.; Corrosive to eyes; Respiratory hazard.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Reproductive toxicity

SDS_US 11/14



Revision Date: 03/27/2023

RTV11

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

Chemical Identity

Threshold Planning Quantity

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Siloxanes and Silicones, di-Me hydroxy terminated

(1) Calcium Carbonate

Silicic acid, ethyl ester

Tetraethyl Silicate

Water

US. Massachusetts RTK - Substance List

Chemical Identity

(1) Calcium Carbonate

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

(1) Calcium Carbonate

Silicic acid, ethyl ester

US. Rhode Island RTK

Chemical Identity

(1) Calcium Carbonate

SDS_US 12/14



Revision Date: 03/27/2023

RTV11

Inventory Status:

iveniory Status.			
Australia Industrial Chem. Act	On or in compliance with the	Remarks: None.	
(AIIC):	inventory		
Canada DSL Inventory List:	On or in compliance with the inventory	Remarks: None.	
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.	
China Inv. Existing Chemical	On or in compliance with the	Remarks: None.	
Substances:	inventory		
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.	
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.	
New Zealand Inventory of	On or in compliance with the	Remarks: None.	
Chemicals:	inventory		
Philippines PICCS:	On or in compliance with the	Remarks: None.	
	inventory		
Taiwan Chemical Substance	On or in compliance with the	Remarks: None.	
Inventory:	inventory		
US TSCA Inventory:	On or in compliance with the	Remarks: Commercial Status:	
	inventory	Active	
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.	

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	0
Flammability		1
Physical Hazards		0
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 03/27/2023

SDS_US 13/14



Revision Date: 03/27/2023

RTV11

Revision Date: No data available.

Version #: 4.1

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.

Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 14/14